

Email: <a href="mailto:customerservice@vectorlabs.com">customerservice@vectorlabs.com</a>

Telephone: (650) 697-3600


## **GOAT ANTI-UBID4 (AA89-103) ANTIBODY**

**SKU:** EB12123



Telephone: (650) 697-3600







Telephone: (650) 697-3600

## **SPECIFICATIONS**

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

**Unit Size** 100 μg

Storage

Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

zinc finger protein ubi-d4|requiem, apoptosis response zinc finger|protein requiem|apoptosis response zinc finger protein|BRG1-associated factor 45D|BAF45D|ubi-d4|UBID4|REQ|D4, zinc and double PHD fingers family

2|DPF2 Names

**Accession** 

NP\_006259.1

**Blocking** 

**Alias** 

ID

**Peptide** 

EBP12123

**Immunogen** 

Peptide with sequence C-EDPRLSFPSIKPDTD, from the internal region of the protein sequence according to

NP 006259.1.

**Peptide** 

Sequence

C-EDPRLSFPSIKPDTD

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

**Shipping** 

Instructions

Refrigerated

Human

19708

**Predicted** 

**Species** 

Human, Mouse, Rat, Dog, Pig, Cow

Reactive

**Species** 

Human

5977 Gene ID

Mouse

Gene ID

**Rat Gene ID** 361711

**Product** 

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite\_medium.png **Grade** 

**ELISA** 

**Detection** 

Antibody detection limit dilution 1:32000.

Limit Western

Approx 50kDa and 48kDa bands observed in lysates of cell lines Jurkat and K562 respectively (calculated MW

of 44.2kDa according to NP\_006259.1). This molecular weight is routinely observed by other sources.

Recommended concentration: 1-3µg/ml.

**Application** 

**Type** 

**Blot** 

Pep-ELISA, WB





Email: <a href="mailto:customerservice@vectorlabs.com">customerservice@vectorlabs.com</a>

Telephone: (650) 697-3600

## **GALLERY IMAGES**

