

GOAT ANTI-UXT, BIOTINYLATED ANTIBODY

SKU: EB08231-B

250kDa

150kDa

100kDa

75kDa

50kDa


37kDa

25kDa

20kDa

15kDa

SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage	Aliquot and store at -20°C. Minimize freezing and thawing.
Instructions	
Synonym /	ubiquitously-expressed, prefoldin-like chaperone ubiquitously expressed transcript protein androgen receptor
Alias	trapped clone 27 protein SKP2-associated alpha PFD 1 STAP1 ART-27 ubiquitously expressed prefoldin like
Names	chaperone UXT
Accession ID	NP_705582.1; NP_004173.1
Blocking Peptide	EBP08231-B
Immunogen	Peptide with sequence C-DHRDKVYEQQLAKY., from the C Terminus of the protein sequence according to NP_705582.1; NP_004173.1.
Product Comments	This antibody is expected to recognize both reported isoforms (NP_004173.1; NP_705582.1).
Peptide Sequence	C-DHRDKVYEQQLAKY.
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human
Reactive Species	Human
Human Gene ID	8409
Product Grade	
ELISA Detection Limit	Antibody detection limit dilution 1:64000.
Western Blot	Approx 20kDa band observed in Human Kidney lysates (calculated MW of 19.6kDa according to NP_705582.1). See non-biotinylated parental product's datasheet for further QC data. Recommended concentration: 0.3-1µg/ml.
Application Type	Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa