

Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-VASP (AA236-249) ANTIBODY

SKU: EB12619



Telephone: (650) 697-3600



250kDa 150kDa

100kDa 75kDa

50kDa

37kDa

25kDa

20kDa

15kDa



Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

Alias VASP|vasodilator-stimulated phosphoprotein

Names

ID

Accession NP_003361.1

Blocking

EBP12619 **Peptide**

Peptide with sequence C-RKVSKQEEASGGPT, from the internal region of the protein sequence according to **Immunogen**

NP 003361.1.

Peptide C-RKVSKQEEASGGPT Sequence

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping Refrigerated Instructions

Predicted

Human, Mouse, Dog, Cow **Species**

Reactive

Human, Mouse **Species**

Human 7408

Gene ID Mouse

22323

Gene ID

Product https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite medium.png Grade

ELISA

Detection Antibody detection limit dilution 1:128000.

Limit

Blot

Western

Approx 50kDa band observed in Human Platelets lysates (calculated MW of 39.8kDa according to

NP_003361.1). The observed molecular weight corresponds to earlier findings in literature with different antibodies (Reinhard et al, EMBO J. 1992 Jun;11(6):2063-70. PMID: 1318192). Recommended concentration:

0.01-0.03µg/ml. Approx 40kDa band observed in Mouse Thymus lysates (calculated MW of 39.7kDa according

to NP_033525.2). Recommended concentration: 1-3µg/ml.

Application

Pep-ELISA, WB **Type**





Telephone: (650) 697-3600

GALLERY IMAGES

250kDa 150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa