




Telephone: (650) 697-3600

## **GOAT ANTI-VAV3 ANTIBODY**



erest



## **SPECIFICATIONS**

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

**Unit Size** 100 μg

Storage

Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

FLJ40431|vav 3 guanine nucleotide exchange factor|vav 3 oncogene|VAV3 Alias

**Names** Usage

<strong>Immunofluorescence:</strong> Strong expression of the protein seen in the cytoplasm of HeLa cells. Recommended concentration: 10µg/ml. <strong>Flow Cytometry:</strong> Flow cytometric analysis of K562 Summary

cells. Recommended concentration: 10ug/ml.

Accession

NP 006104.4; NP 001073343.1

**Blocking** 

ID

EBP06467 Peptide

Peptide with sequence C-SGEQGTLKLPEK, from the internal region of the protein sequence according to **Immunogen** 

NP\_006104.4; NP\_001073343.1.









**Product** Comments

This antibody is expected to recognize both reported isoforms (NP\_006104.4; NP\_001073343.1).

**Peptide** 

Sequence

C-SGEQGTLKLPEK

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using

Method

the immunizing peptide.

**Shipping** 

Refrigerated Instructions

Human

Human

10451

**Predicted** 

**Species** 

Reactive

**Species** Human

Gene ID

**Product** 

Grade

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite\_plus\_medium.png IHC Results Paraffin embedded Human Spleen. Recommended concentration: 7.5µg/ml.

**ELISA** Antibody detection limit dilution 1:32000. Detection

Limit

**Application** 

**Type** 

Pep-ELISA, IHC, IF, FC

## **GALLERY IMAGES**

