Telephone: (650) 697-3600



Email: customerservice@vectorlabs.com

GOAT ANTI-VDAC2 (C TERMINUS) ANTIBODY


SKU: EB06324



Telephone: (650) 697-3600



	Α	В
250kDa 150kDa		
100kDa		
75kDa		
50kDa		
37kDa	_	
25kDa		
20kDa		
15kDa		





Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Storage

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

Alias

FLJ23841|RP11-375G3.1|voltage-dependent anion channel 2|VDAC2

Names

Accession

NP_003366.2

Blocking

EBP06324 **Peptide**

Peptide with sequence C-GHKVGLALELEA, from the C Terminus of the protein sequence according to **Immunogen**

NP 003366.2.

Peptide

Sequence

C-GHKVGLALELEA

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Instructions

Refrigerated

Predicted

Species

Human, Mouse, Rat, Dog, Pig, Cow

Reactive

Species

Human, Rat

7417

Human

Gene ID

Product Grade

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

IHC Results Paraffin embedded Rat Liver. Recommended concentration: 5-6µg/ml.

ELISA

Detection Antibody detection limit dilution 1:8000.

Limit

Blot

Approx 35kDa band observed in Human Cerebellum and in lysates of cell lines CaCo-2 and LNCaP (calculated Western

MW of 31.6kDa according to Human NP_003366.2). Recommended concentration: 0.3-1μg/ml. Primary

incubation 1 hour at room temperature.

Application

Pep-ELISA, WB, IHC **Type**


GALLERY IMAGES






 $\textbf{Email:} \ \underline{\textbf{customerservice@vectorlabs.com}}$

Telephone: (650) 697-3600



e erest



250kDa 150kDa 100kDa 75kDa 50kDa 37kDa 25kDa 20kDa 15kDa





Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

