



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-VPS25 ANTIBODY

SKU: EB07071



Telephone: (650) 697-3600



250kDa 150kDa 100kDa 75kDa

50kDa 37kDa

25kDa 20kDa

15kDa



Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage

Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

FAP20|vacuolar protein sorting 25 homolog (S. cerevisiae)|vacuolar protein sorting Alias 25|MGC10540|EAP20|DERP9|HGNC:28122|vacuolar protein sorting 25 (yeast)|VPS25 Names

Accession

NP_115729.1

Blocking

EBP07071 **Peptide**

Peptide with sequence C-QPNVDTRQKQ, from the internal region of the protein sequence according to **Immunogen**

NP 115729.1.

Peptide

C-QPNVDTRQKQ Sequence

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

Predicted

Human, Mouse, Rat, Dog **Species**

Reactive

Human, Rat **Species**

Human

84313 Gene ID

Product Grade

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

IHC Results Paraffin embedded Human Kidney. Recommended concentration: 6-8µg/ml.

ELISA

Detection Antibody detection limit dilution 1:32000.

Limit

Western Approx. 22kDa band observed in Rat Kidney lysates (calculated MW of 20.7kDa according to human

Blot NP_115729.1). Recommended concentration: 0.3-1μg/ml. Primary incubation was 1 hour.

Application


Pep-ELISA, WB, IHC **Type**

GALLERY IMAGES





250kDa 150kDa 100kDa 75kDa





50kDa 37kDa

25kDa 20kDa

15kDa