



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-VRK2 ANTIBODY

SKU: EB09545



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa





Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Storage

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

Alias

vaccinia-related kinase-2|vaccinia virus B1R-related kinase 2|vaccinia related kinase 2|VRK2

Names

Accession

NP_001129499.1; NP_006287.2; NP_001123954.1; NP_001123955.1

Blocking

Peptide

EBP09545

Peptide with sequence C-PNSQKVDSQKAATK, from the internal region of the protein sequence according to **Immunogen**

NP_001129499.1; NP_006287.2; NP_001123954.1; NP_001123955.1.

Product This antibody is expected to recognize all isoforms (NP_001123952.1, NP_001123954.1, NP_001123955.1,

NP_001129499.1). Reported variants represent identical protein: NP_001123953.1, NP_006287.2. Comments

Peptide

Sequence

C-PNSQKVDSQKAATK

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Instructions

Refrigerated

Predicted

Species

Human, Dog

Reactive

Human **Species**

Human

7444 Gene ID

Product

Grade

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite medium.png

ELISA

Detection

Antibody detection limit dilution 1:4000.

Limit

Western Approx 60kDa band observed in nuclear lysates of cell line K562 (calculated MW of 58.1kDa according to

NP_001123954.1). Recommended concentration: 1-3µg/ml. Blot

Application

Type

Pep-ELISA, WB

GALLERY IMAGES



Telephone: (650) 697-3600



250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa