

GOAT ANTI-VTI1B ANTIBODY

SKU: EB07215

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

10kDa

SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage	Aliquot and store at -20°C. Minimize freezing and thawing.
Instructions	
Synonym /	vesicle-associated soluble NSF attachment protein receptor vesicle transport through interaction with t-SNAREs
Alias	SNAREs 1B v-SNARE VTI2 VTI1L VTI1 HGNC:17793 vesicle transport through interaction with t-SNAREs
Names	homolog 1B (yeast) VTI1B
Accession ID	NP_006361.1
Blocking Peptide	EBP07215
Immunogen	Peptide with sequence C-RDFDEKQQEANET, from the internal region of the protein sequence according to NP_006361.1.
Peptide Sequence	C-RDFDEKQQEANET
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human, Mouse, Rat, Dog
Reactive Species	Human
Human Gene ID	10490
Mouse Gene ID	53612
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA Detection Limit	Antibody detection limit dilution 1:32000.
Western Blot	Approx 26-28kDa band observed in Human Duodenum, Kidney and Testes lysates (calculated MW of 26.7kDa according to NP_006361.1). Recommended concentration: 1-3µg/ml.
Application Type	Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

10kDa

