

GOAT ANTI-WFDC1 (MOUSE) ANTIBODY

SKU: EB11022

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage Instructions	Aliquot and store at -20°C. Minimize freezing and thawing.
Synonym / Alias	WFDC1 WAP four-disulfide core domain 1 ps20 WAP four-disulfide core domain 1 homolog WAP four-disulfide core domain protein 1 prostate stromal protein ps20 ps20 growth inhibitor 2310058A03Rik 2310058A03Rik prostate stromal protein ps20 ps20 ps20 growth inhibitor WAP four-disulfide core domain 1 WAP four-disulfide core domain 1 homolog WAP four-disulfide core domain protein 1 WFDC1
Names	prostate stromal protein ps20 ps20 ps20 growth inhibitor WAP four-disulfide core domain 1 WAP four-disulfide core domain 1 homolog WAP four-disulfide core domain protein 1 WFDC1
Accession ID	NP_075884.1
Blocking Peptide	EBP11022
Immunogen	Peptide with sequence C-RQRLHKEYPEGDSKN, from the internal region (near N Terminus) of the protein sequence according to NP_075884.1.
Peptide Sequence	C-RQRLHKEYPEGDSKN
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Mouse, Rat
Reactive Species	Mouse
Mouse Gene ID	67866
Rat Gene ID	171112
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA Detection Limit	Antibody detection limit dilution 1:16000.
Western Blot	Approx 19kDa band observed in Mouse Heart lysates (calculated MW of 23.1kDa according to NP_075884.1). Recommended concentration: 0.3-1µg/ml.
Application Type	Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

Goat Anti-Wfdc1 (mouse) Antibody

<https://everestbiotech.com/products/goat-anti-wfdc1-mouse-antibody/>

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa