


GOAT ANTI-WIPF1 ANTIBODY

SKU: EB07896



SPECIFICATIONS

Unit Size	100 µg
Synonym / Alias Names	Wiskott-Aldrich syndrome protein interacting protein WIP WASPIP PRPL-2 MGC111041 WAS/WASL interacting protein family, member 1 WIPF1
Accession ID	NP_003378.3; NP_001070737.1; NP_001362764.1; NP_001362768.1
Blocking Peptide	EBP07896
Immunogen	Peptide with sequence C-KLARNESRSGSNRRE, from the C Terminus of the protein sequence according to NP_003378.3; NP_001070737.1; NP_001362764.1; NP_001362768.1.
Peptide Sequence	C-KLARNESRSGSNRRE
Shipping Instructions	Refrigerated
Predicted Species	Human, Mouse, Rat, Dog, Cow
Reactive Species	Human
Human Gene ID	7456
Mouse Gene ID	215280
Rat Gene ID	117538
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA Detection Limit	Antibody detection limit dilution 1:64000.
Western Blot	Approx. 55kDa band observed in Human Lymph Node, Spleen and Tonsil lysates (calculated MW of 51.3kDa according to NP_003378.3 and NP_001070737.1). In transfected HEK293 transiently expressing WIPF1 a band of approx. 55kDa is observed. This band is not observed in the non-transfected HEK293. Recommended concentration: 0.03-0.1µg/ml. Primary incubation was 1 hour.
Application Type	Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

