


Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-WIPF1 ANTIBODY

SKU: EB07896







Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

SPECIFICATIONS

Unit Size 100 µg

Synonym / Alias

Wiskott-Aldrich syndrome protein interacting protein|WIP|WASPIP|PRPL-2|MGC111041|WAS/WASL interacting

protein family, member 1|WIPF1

Names Accession

ID

NP_003378.3; NP_001070737.1; NP_001362764.1; NP_001362768.1

Blocking

EBP07896 **Peptide**

Immunogen

Peptide with sequence C-KLARNESRSGSNRRE, from the C Terminus of the protein sequence according to

 $NP_003378.3; \ NP_001070737.1; \ NP_001362764.1; \ NP_001362768.1.$

Peptide

Sequence

C-KLARNESRSGSNRRE

Shipping

Refrigerated Instructions

Predicted

Species

Human, Mouse, Rat, Dog, Cow

Reactive

Species

Human

Human

7456

Gene ID

Mouse

215280

Gene ID

Rat Gene ID 117538

Product

Grade

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

ELISA

Detection Limit

Antibody detection limit dilution 1:64000.

Western

Approx. 55kDa band observed in Human Lymph Node, Spleen and Tonsil lysates (calculated MW of 51.3kDa according to NP_003378.3 and NP_001070737.1). In transfected HEK293 transiently expressing WIPF1 a band of approx. 55kDa is observed. This band is not observed in the non-transfected HEK293. Recommended

Blot

concentration: 0.03-0.1µg/ml. Primary incubation was 1 hour.

Application

Type


Pep-ELISA, WB

GALLERY IMAGES



Telephone: (650) 697-3600





	250kDa 150kDa 100kDa 75kDa
-	50kDa 37kDa
	25kDa 20kDa

15kDa