

GOAT ANTI-WIZ ANTIBODY

SKU: EB09114



SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

Alias Names widely-interspaced zinc finger motifs|WIZ zinc finger|ZNF803|widely interspaced zinc finger motifs|WIZ

Usage Summary Flow Cytometry: Flow cytometric analysis of HeLa cells. Recommended concentration: 10ug/ml.

Accession ID NP_067064.2; NP_001317324.1

Blocking Peptide EBP09114

Immunogen Peptide with sequence C-RSYIQGGRPFTKKFR, from the internal region of the protein sequence according to NP_067064.2; NP_001317324.1.

Peptide Sequence C-RSYIQGGRPFTKKFR

Purification Method Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Shipping Instructions Refrigerated

Predicted Species Human, Mouse, Rat

Reactive Species Human

Human Gene ID 58525

Mouse Gene ID 22404

Rat Gene ID 314598

Product Grade https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

ELISA Detection Limit Antibody detection limit dilution 1:2000.

Western Blot Approx 75kDa band observed in Human Brain (Cerebellum) lysates (calculated MW of 85.4kDa according to NP_067064.2). An additional band of unknown identity was also consistently observed at 38kDa. This band was successfully blocked by incubation with the immunizing peptide. Recommended concentration: 0.3-1µg/ml. Primary incubation 1 hour at room temperature.

Application Type Pep-ELISA, WB, FC

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

