


GOAT ANTI-WNT4 ANTIBODY

SKU: EB05374



SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage Aliquot and store at -20°C. Minimize freezing and thawing.
Instructions

Synonym /

WNT4|wingless-type MMTV integration site family, member 4|WNT-4|WNT-4 protein

Alias precursor|RP1-224A6.7|SERKAL|WNT-4 protein

Names

Usage

Immunofluorescence: Strong expression of the protein seen in the Vesicle of HeLa and

Summary MCF7 cells. Recommended concentration: 10µg/ml.

Accession

NP_110388.2

ID

Blocking

EBP05374

Peptide

Peptide with sequence C-SNWLYLAKLSSVGS, from the internal region of the protein sequence according to
NP_110388.2.

Peptide Sequence	C-SNWLYLAKLSSVGS
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human, Mouse, Rat
Reactive Species	Human
Human Gene ID	54361
Mouse Gene ID	22417
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA Detection Limit	Antibody detection limit dilution 1:4000.
Western Blot	Approx 40+35kDa band observed in lysates of cell line Jurkat (calculated MW of 39.1kDa according to NP_110388.2). Recommended concentration: 1-3µg/ml. Primary incubation 1 hour at room temperature. Negative Control: U937 cell lysate.
Application Type	Pep-ELISA, WB, IF

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

