


Telephone: (650) 697-3600

## **GOAT ANTI-WNT4 ANTIBODY**

**SKU:** EB05374



## **SPECIFICATIONS**

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

**Unit Size** 

Storage

**Alias** 

**Names** 

Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

WNT4|wingless-type MMTV integration site family, member 4|WNT-4|WNT-4 protein

precursor|RP1-224A6.7|SERKAL|WNT-4 protein

Usage

<strong>Immunofluorescence:</strong> Strong expression of the protein seen in the Vesicle of HeLa and

MCF7 cells. Recommended concentration: 10µg/ml. Summary

Accession

NP 110388.2

**Blocking** 

**Peptide** 

EBP05374

**Immunogen** 

Peptide with sequence C-SNWLYLAKLSSVGS, from the internal region of the protein sequence according to

NP 110388.2.





Email: <a href="mailto:customerservice@vectorlabs.com">customerservice@vectorlabs.com</a>

Telephone: (650) 697-3600

**Peptide** 

C-SNWLYLAKLSSVGS

Sequence

**Purification** Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method

using the immunizing peptide.

Shipping

Instructions '

Refrigerated

Predicted Species

Human, Mouse, Rat

Reactive

Species Human

Human

54361

Gene ID Mouse

Gene ID

**Product** 

Grade

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite\_medium.png

**ELISA** 

**Detection** Antibody detection limit dilution 1:4000.

Limit

Western
Blot

Approx 40+35kDa band observed in lysates of cell line Jurkat (calculated MW of 39.1kDa according to NP\_110388.2). Recommended concentration: 1-3µg/ml. Primary incubation 1 hour at room temperature.

<strong> Negative Control:</strong> U937 cell lysate.

Application

Type

Pep-ELISA, WB, IF

## **GALLERY IMAGES**





Telephone: (650) 697-3600



