

## GOAT ANTI-XAB2 / HCNP ANTIBODY

**SKU:** EB05062

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

10kDa

---

## SPECIFICATIONS

<b>Formulation</b>	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
<b>Unit Size</b>	100 µg
<b>Storage</b>	Aliquot and store at -20°C. Minimize freezing and thawing.
<b>Instructions</b>	
<b>Synonym /</b>	XAB2 HCNP XPA binding protein 2 HCRN crn-related protein kim1 DKFZp762C1015 NTC90 SYF1 SYF1 homolog,
<b>Alias</b>	
<b>Names</b>	RNA splicing factor
<b>Accession ID</b>	NP_064581.2
<b>Blocking Peptide</b>	EBP05062
<b>Immunogen</b>	Peptide with sequence C-SVPAAVFGSLKED, from the C Terminus of the protein sequence according to NP_064581.2.
<b>Peptide Sequence</b>	C-SVPAAVFGSLKED
<b>Purification Method</b>	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
<b>Shipping Instructions</b>	Refrigerated
<b>Predicted Species</b>	Human, Mouse, Rat, Dog, Cow
<b>Reactive Species</b>	Human
<b>Human Gene ID</b>	56949
<b>Product Grade</b>	<a href="https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png">https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png</a>
<b>IHC Results</b>	In paraffin embedded Human Brain (Cerebral Cortex) shows nuclear staining. Recommended concentration, 3-4µg/ml.
<b>ELISA Detection Limit</b>	Antibody detection limit dilution 1:8000.
<b>Western Blot</b>	Approx 90kDa band observed in human fibroblast A431 lysates (calculated MW of 100kDa according to NP_064581.2). Recommended concentration: 0.3-1µg/ml.
<b>Application Type</b>	Pep-ELISA, WB, IHC

## DOCUMENTS

- [Data Sheet](#)

## GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

10kDa

