

GOAT ANTI-ZEB2 (AA545-558) ANTIBODY

SKU: EB10813



SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage Instructions	Aliquot and store at -20°C. Minimize freezing and thawing.
Synonym / Alias Names	zinc finger homeobox protein 1 zinc finger homeobox 1b zinc finger E-box-binding homeobox 2 Smad-interacting protein 1 OTTHUMP00000204540 ZFH1B SMADIP1 SIP1 SIP-1 KIAA0569 FLJ42816 zinc finger E-box binding homeobox 2 ZEB2
Accession ID	NP_055610.1; NP_001165124.1
Blocking Peptide	EBP10813
Immunogen	Peptide with sequence C-TDSRRQISNIKKEK, from the internal region of the protein sequence according to NP_055610.1; NP_001165124.1.
Product Comments	This antibody is expected to recognize both reported isoforms (NP_055610.1; NP_001165124.1).
Peptide Sequence	C-TDSRRQISNIKKEK
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human, Mouse, Rat, Dog
Reactive Species	Human
Human Gene ID	9839
Mouse Gene ID	24136
Rat Gene ID	311071
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
IHC Results	Paraffin embedded Human Kidney. Recommended concentration: 5µg/ml.
ELISA Detection Limit	Antibody detection limit dilution 1:32000.
Western Blot	Approx 100+38kDa bands observed in Human Liver lysates (calculated MW of 136kDa according to NP_055610.1). Recommended concentration: 0.2-0.5µg/ml. Primary incubation was 1 hour. We believe the two observed bands represent two breakdown fragments.
Application Type	Pep-ELISA, WB, IHC

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

