


GOAT ANTI-ZNF652 (AA594-606) ANTIBODY

SKU: EB11188



SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage Instructions	Aliquot and store at -20°C. Minimize freezing and thawing.
Synonym / Alias Names	ZNF652 zinc finger protein 652 OTTHUMP00000220047 KIAA0924 DKFZp781E2122
Accession ID	NP_055712.1
Blocking Peptide	EBP11188
Immunogen	Peptide with sequence C-RHLAEKNSSAQHH, from the C Terminus of the protein sequence according to NP_055712.1.
Product Comments	Reported variants represent identical protein: NP_055712.1, NP_001138837.1
Peptide Sequence	C-RHLAEKNSSAQHH
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Shipping Instructions	Refrigerated
Predicted Species	Human, Cow, Pig
Reactive Species	Human
Human Gene ID	22834
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
IHC Results	Paraffin embedded Human Small Intestine. Recommended concentration: 5µg/ml.
ELISA	
Detection Limit	Antibody detection limit dilution 1:64000.
Western Blot	Approx 90kDa band observed in Human Heart, Kidney and Liver lysates (calculated MW of 69.7kDa according to NP_055712.1). The observed molecular weight corresponds to earlier findings in literature with different antibodies (Kumar et al, Mol Cancer Res. 2006 Sep;4(9):655-65.PMID: 1696643). Recommended concentration: 0.01-0.03µg/ml. Primary incubation was 1 hour.
Application Type	Pep-ELISA, WB, IHC

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

