

GOAT ANTI-ZNF9 / CNBP ANTIBODY

SKU: EB07220



SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage Instructions	Aliquot and store at -20°C. Minimize freezing and thawing.
Synonym / Alias Names	zinc finger protein 9 zinc finger protein 273 Proximal myotonic myopathy nucleic acid binding protein RNF163 PROMM DM2 CNBP1 HGNC:13164 zinc finger protein 9 (a cellular retroviral nucleic acid binding protein) CNBP ZNF9
Usage Summary	Immunofluorescence: Strong expression of the protein seen in MCF7 and Neuro-2a cells. Recommended concentration: 10µg/ml. Flow Cytometry: Flow cytometric analysis of MCF7 cells. Recommended concentration: 10ug/ml.
Accession ID	NP_003409.1;; NP_001120664.1; NP_001120665.1;NP_001120666.1
Blocking Peptide	EBP07220
Immunogen	Peptide with sequence GESGHLARECTIE, from the C Terminus of the protein sequence according to NP_003409.1;; NP_001120664.1; NP_001120665.1;NP_001120666.1.
Peptide Sequence	GESGHLARECTIE
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human, Mouse, Rat, Dog, Cow
Reactive Species	Human, Mouse
Human Gene ID	7555
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA Detection Limit	Antibody detection limit dilution 1:8000.
Western Blot	Approx 20kDa band observed in Human Skeletal Muscle lysates and in lysates of cell lines Daudi, MCF7, MOLT-4 and Neuro-2a (calculated MW of 19.5kDa according to Human NP_003409.1 and Mouse NP_038521.1). Recommended concentration: 0.3-1µg/ml. Primary incubation 1 hour at room temperature.
Application Type	Pep-ELISA, WB, IF, FC

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES



