

#### **International Office**

Everest Biotech Ltd Vector Laboratories, Inc. 6737 Mowry Ave Newark, CA 94560 United States

Customer Service: <u>customerservice@vectorlabs.com</u> Technical Service: <u>technical@vectorlabs.com</u>

Tel: +1 (800) 227-6666

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

# EB06442-B - Goat Anti-58K Golgi protein(N-Term)/FTCD, Biotinylated Antibody

Size: 100µg specific antibody in 200µl



## **Target Protein**

Principal Names: FTCD, formimidoyltransferase cyclodeaminase, LCHC1, formiminotransferase cyclodeaminase, formiminotransferase-cyclodeaminase Official Symbol: FTCD Accession Number(s): NP\_006648.1 Human GenelD(s): 10841 Non-Human GenelD(s): 14317 (mouse) Important Comments: Reported variants represent identical protein: NP\_996848.1, NP\_006648.1 Reported variants represent identical protein: XP\_006724024.2, XP\_011527739.1

#### Immunogen

Peptide with sequence SQLVECVPNFSEGKNQ., from the N Terminus of the protein sequence according to NP\_006648.1.

Please note the peptide is available for sale.

### **Purification and Storage**

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.


## **Applications Tested**

Peptide ELISA: antibody detection limit dilution 1:64000.

**Western blot:** Approx 58kDa band observed in Human Liver lysates (calculated MW of 58.9kDa according to NP\_006648.1). See non-biotinylated parental product's datasheet for further QC data. Recommended concentration: 1-3µg/ml.

## **Species Reactivity**

Tested: Human Expected from sequence similarity: Human, Mouse, Pig



Biotinylated EB06442 (1µg/ml) staining of Human Liver lysate (35µg protein in RIPA buffer), exactly mirroring its parental non-biotinylated product. Primary incubation was 1 hour. Detected by chemiluminescence, using streptavidin-HRP and using NAP blocker as a substitute for skimmed milk.