

#### **International Office**

#### **Everest Biotech Ltd**

Vector Laboratories, Inc. 6737 Mowry Ave Newark, CA 94560 United States

**Customer Service:** 

customerservice@vectorlabs.com

Technical Service:

technical@vectorlabs.com

Tel: +1 (800) 227-6666

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

# EB05674 - Goat Anti-ACADM Antibody

Size: 100µg specific antibody in 200µl



## **Target Protein**

**Principal Names:** ACADM, acyl-Coenzyme A dehydrogenase, C-4 to C-12 straight chain, ACAD1, MCAD, MCADH, medium-chain acyl-CoA dehydrogenase, FLJ18227, FLJ93013,

FLJ99884, medium-chain specific acyl-CoA dehydrogenase, acyl-Coenzyme A

dehydrogenase, C-4 to C-12 straight chain

Official Symbol: ACADM

Accession Number(s): NP\_000007.1; NP\_001120800.1

Human GeneID(s): 34

Important Comments: This antibody is expected to recognise both reported isoforms

(NP\_000007.1; NP\_001120800.1).

## **Immunogen**

Peptide with sequence C-RLIVAREHIDKYKN, from the C Terminus of the protein sequence according to NP\_000007.1; NP\_001120800.1.

Please note the peptide is available for sale.

## **Purification and Storage**

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

## **Applications Tested**

Peptide ELISA: antibody detection limit dilution 1:32000.

**Western blot:** Approx 45kDa band observed in Human Kidney and Heart lysates (calculated MW of 46.6kDa according to NP\_000007.1). Recommended for use at 0.01-0.1µg/ml. Primary incubation was for 1 hour.

**IHC:** Paraffin embedded Human Liver and Adrenal Gland. Recommended concentration: 3.75µg/ml.


## **Species Reactivity**

Tested: Human


Expected from sequence similarity: Human



EB05674 staining (0.05μg/ml) of Human Heart lysate (RIPA buffer, 35μg total protein per lane). Detected by chemiluminescence.



EB05674 (3.75 $\mu$ g/ml) staining of paraffin embedded Human Liver. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.



EB05674 (3.75µg/ml) staining of paraffin embedded Human Adrenal Gland. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.