

#### **International Office**

Everest Biotech Ltd Vector Laboratories, Inc. 6737 Mowry Ave Newark, CA 94560 United States

Customer Service: <u>customerservice@vectorlabs.com</u> Technical Service: <u>technical@vectorlabs.com</u>

Tel: +1 (800) 227-6666

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

# EB08451-T - Goat Anti-AID Antibody - Trial

Size: 20µg specific antibody in 40µl



# **Target Protein**

Principal Names: AID, AICDA, activation-induced cytidine deaminase, ARP2, CDA2, HIGM2, activation-induced deaminase, integrated into Burkitt\1s lymphoma line Ramos Official Symbol: AICDA Accession Number(s): NP\_065712.1 Human GenelD(s): <u>57379</u>

#### Immunogen

Peptide with sequence RRKFLYQFKNVR-C, from the N Terminus of the protein sequence according to NP\_065712.1.

Please note the peptide is available for sale.

# **Purification and Storage**

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.


# **Applications Tested**

Peptide ELISA: antibody detection limit dilution 1:1000.

**Western blot:** Approx 26kDa band observed in Human Tonsil lysates (calculated MW of 24.0kDa according to NP\_065712.1). Recommended concentration: 0.1-0.3µg/ml. Primary incubation was 1 hour.

# **Species Reactivity**

Tested: Human Expected from sequence similarity: Human, Pig, Cow



15kDa

EB08451 (0.1µg/ml) staining of Human Tonsil lysate (35µg protein in RIPA buffer). Detected by chemiluminescence.