

# **UK Office**

#### **Everest Biotech Ltd**

Cherwell Innovation Centre 77 Heyford Park Upper Heyford Oxfordshire OX25 5HD UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

# EB07159 - Goat Anti-AKT2 Antibody

Size: 100µg specific antibody in 200µl



### **Target Protein**

**Principal Names:** AKT2, v-akt murine thymoma viral oncogene homolog 2, PKBBETA, PRKBB, RAC-BETA, Murine thymoma viral (v-akt) homolog-2, rac protein kinase beta

Official Symbol: AKT2

Accession Number(s): NP\_001617.1

Human GenelD(s): 208

### **Immunogen**

Peptide with sequence C-YKERPEAPDQTLP, from the internal region of the protein sequence according to NP\_001617.1.

Please note the peptide is available for sale.

## **Purification and Storage**

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

#### **Applications Tested**


Peptide ELISA: antibody detection limit dilution 1:1000.

**Immunofluorescence:** Strong expression of the protein seen in the cytoplasm, vesicles and plasma membranes of A549 cells. Recommended concentration: 10μg/ml.

# **Species Reactivity**

Tested: Human

Expected from sequence similarity: Human, Mouse, Rat



EB07159 Immunofluorescence analysis of paraformaldehyde fixed A549. Primary incubation 1hr (1:50 dilution) followed by Alexa Fluor® 488 secondary antibody (1:2000 dilution), showing cytoplasmic, vesicles and membrane staining. The nuclear stain is DAPI (blue). Negative control: Anti-Goat IgG followed by Alexa Fluor® 488 secondary antibody.