

### **International Office**

#### **Everest Biotech Ltd**

Vector Laboratories, Inc. 6737 Mowry Ave Newark, CA 94560 United States

**Customer Service:** 

customerservice@vectorlabs.com

Technical Service:

technical@vectorlabs.com

Tel: +1 (800) 227-6666

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

# EB11195 - Goat Anti-APOH (aa145-157) Antibody

Size: 100µg specific antibody in 200µl



## **Target Protein**

**Principal Names:** activated protein C-binding protein, anticardiolipin cofactor, APC inhibitor, apo-H, apolipoprotein H (beta-2-glycoprotein I), B2G1, B2GP1, B2GPI,

beta(2)GPI, beta-2-glycoprotein 1, BG, APOH

Official Symbol: APOH

Accession Number(s): NP\_000033.2

Human GeneID(s): 350

Non-Human GenelD(s): 287774 (rat)

## **Immunogen**

Peptide with sequence C-PSIPTFATLRVYK, from the internal region of the protein sequence according to NP\_000033.2.

Please note the peptide is available for sale.

## **Purification and Storage**

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

## **Applications Tested**

Peptide ELISA: antibody detection limit dilution 1:1000.

Western blot: Approx 50kDa band observed in Human Liver, Kidney and Placenta lysates (calculated MW of 38.3kDa according to NP\_000033.2). The observed molecular weight corresponds to earlier findings in literature with different antibodies (Gu et al, Invest Ophthalmol Vis Sci. 1999 May;40(6):1229-37. PMID: 10235557). Recommended concentration: 0.2-0.6μg/ml.

### **Species Reactivity**

Tested: Human

Expected from sequence similarity: Human

250kDa 150kDa 100kDa 75kDa 50kDa 37kDa 25kDa

EB11195 (0.2µg/ml) staining of Human Placenta lysate (35µg protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.