

#### **International Office**

#### **Everest Biotech Ltd**

Vector Laboratories, Inc. 6737 Mowry Ave Newark, CA 94560 United States

**Customer Service:** 

customerservice@vectorlabs.com

Technical Service:

technical@vectorlabs.com

Tel: +1 (800) 227-6666

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

# EB05200 - Goat Anti-BPOZ / ABTB1 Antibody

Size: 100µg specific antibody in 200µl



## **Target Protein**

Principal Names: ABTB1, BPOZ, EF1ABP, MGC20585, ankyrin repeat and BTB (POZ)

domain containing 1, elongation factor 1A binding protein, Btb3, PP2259

Official Symbol: ABTB1

Accession Number(s): NP\_115937.1; NP\_742024.1

Human GenelD(s): 80325

Non-Human GenelD(s): 80283 (mouse)

Important Comments: This antibody is expected to recognise all reported isoforms

(NP\_115937.1; NP\_742024.1; NP\_742025.1).

## Immunogen

Peptide with sequence RALEDLLVSIGLDC, from the C Terminus of the protein sequence according to NP\_115937.1; NP\_742024.1.

Please note the peptide is available for sale.

## **Purification and Storage**

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin

Aliquot and store at -20°C. Minimize freezing and thawing.

## **Applications Tested**

Peptide ELISA: antibody detection limit dilution 1:32000.

**Western blot:** Approx 38kDa band observed in Human Heart lysates, and approx. 50kDa in preliminary testing of MCF7 cell lysate (calculated MW of 37.6kDa according to NP\_115937.1 and 54kDa according to ; NP\_742024.1). An additional band was also consistently observed at 65-70xkDa. and was successfully blocked by incubation with the immunizing peptide. Recommended concentration: 1-3μg/ml. Primary incubation 1 hour at room temperature.

**IHC:** Paraffin embedded Human Heart and Brain (Cerebellum). Recommended concentration: 3.75µg/ml.


## **Species Reactivity**

Tested: Human


Expected from sequence similarity: Human, Mouse, Rat, Dog



EB05200 staining (1µg/ml) of Human Heart lysate (RIPA buffer, 35µg total protein per lane). Detected by chemiluminescence.



EB05200 (3.75μg/ml) staining of paraffin embedded Human Heart. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.



 $EB05200~(3.75 \mu g/ml)~staining~of~paraffin~embedded~Human~Cerebellum.~Steamed~antigen~retrieval~with~citrate~buffer~pH~6,~AP-staining.$