



UK Office

Everest Biotech Ltd

Cherwell Innovation Centre
77 Heyford Park
Upper Heyford
Oxfordshire
OX25 5HD
UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

www.everestbiotech.com

**Research Use Only. Not for
diagnostic or therapeutic use.**

EB05668 - Goat Anti-BRF2 Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: BRF2, BRF2, subunit of RNA polymerase III transcription initiation factor, BRF1-like, BRFU, FLJ11052, TFIIIB50, transcription factor IIB- related factor, TFIIIB50, RNA polymerase III transcription initiation factor BRFU, RNA polymerase III transcription initiation factor BRF2

Official Symbol: BRF2

Accession Number(s): NP_060780.2

Human GeneID(s): [55290](#)

Immunogen

Peptide with sequence C-QAARQAATSVPNPP, from the C Terminus of the protein sequence according to NP_060780.2.

Please note the [peptide](#) is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:16000.

Western blot: Approx 50kDa band observed in HeLa lysates (predicted MW of 48kDa according to NP_060780). Recommended for use at 1-3µg/ml.

Species Reactivity

Tested: Human

Expected from sequence similarity: Human



EB05668 staining (1.5 μ g/ml) of HeLa lysate (RIPA buffer, 35 μ g total protein per lane). Primary incubated for 1 hour. Detected by chemiluminescence.