

### **International Office**

Everest Biotech Ltd

Vector Laboratories, Inc. 6737 Mowry Ave Newark, CA 94560 United States

Customer Service: <u>customerservice@vectorlabs.com</u> Technical Service: <u>technical@vectorlabs.com</u>

Tel: +1 (800) 227-6666

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

# EB09418 - Goat Anti-CAD / CPS2 Antibody

Size: 100µg specific antibody in 200µl



## **Target Protein**

Principal Names: CAD, carbamoyl-phosphate synthetase 2, aspartate transcarbamylase, and dihydroorotase, CAD trifunctional protein, carbamoylphosphate synthetase 2/aspartate transcarbamylase/dihydroorotase, multifunctional protein CAD Official Symbol: CAD Accession Number(s): NP\_004332.2 Human GenelD(s): <u>790</u> Non-Human GenelD(s): 69719 (mouse), 24240 (rat)

#### Immunogen

Peptide with sequence C-DTRELTKKLREQ, from the internal region of the protein sequence according to NP\_004332.2.

Please note the peptide is available for sale.

## **Purification and Storage**


Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide. Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin. Aliquot and store at -20°C. Minimize freezing and thawing.

## **Applications Tested**

**Peptide ELISA:** antibody detection limit dilution 1:32000. **IHC:** In paraffin embedded Human Spleen shows nuclear staining in selected cells. Recommended concentration, 5-15µg/ml.

## **Species Reactivity**

Tested: Human Expected from sequence similarity: Human, Mouse, Rat



EB09418 (5µg/ml) staining of paraffin embedded Human Spleen. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.