



## UK Office

### Everest Biotech Ltd

Cherwell Innovation Centre  
77 Heyford Park  
Upper Heyford  
Oxfordshire  
OX25 5HD  
UK

Enquiries:

[info@everestbiotech.com](mailto:info@everestbiotech.com)

Sales:

[sales@everestbiotech.com](mailto:sales@everestbiotech.com)

Tech support:

[support@everestbiotech.com](mailto:support@everestbiotech.com)

Tel: +44 (0)1869 238326

[www.everestbiotech.com](http://www.everestbiotech.com)

**Research Use Only. Not for  
diagnostic or therapeutic use.**

## EB09526 - Goat Anti-Calponin 3 / CNN3 Antibody

Size: 100µg specific antibody in 200µl



### Target Protein

**Principal Names:** CNN3, calponin 3, acidic, calponin 3, calponin, acidic, dJ639P13.2.2 (acidic calponin 3)

**Official Symbol:** CNN3

**Accession Number(s):** NP\_001830.1

**Human GeneID(s):** [1266](#)

### Immunogen

Peptide with sequence C-HGEYQDDYPRDYQYS, from the C Terminus of the protein sequence according to NP\_001830.1.

Please note the [peptide](#) is available for sale.

### Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

### Applications Tested

**Peptide ELISA:** antibody detection limit dilution 1:64000.


**Western blot:** Approx 37kDa band observed in Human Duodenum, Heart and Kidney lysates (calculated MW of 36.4kDa according to NP\_001830.1). Recommended concentration: 0.2-0.6µg/ml. Primary incubation was 1 hour.

**IHC:** Paraffin embedded Human Lung (Bronchus). Recommended concentration: 5µg/ml.


### Species Reactivity

**Tested:** Human

**Expected from sequence similarity:** Human



EB09526 (0.3 $\mu$ g/ml) staining of Human Duodenum lysate (35 $\mu$ g protein in RIPA buffer). Detected by chemiluminescence.



EB09526 (5 $\mu$ g/ml) staining of paraffin embedded Human Lung. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.