

#### **International Office**

**Everest Biotech Ltd** Vector Laboratories, Inc. 6737 Mowry Ave Newark, CA 94560 **United States** 

**Customer Service:** customerservice@vectorlabs.com Technical Service: technical@vectorlabs.com

Tel: +1 (800) 227-6666

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

# EB06945 - Goat Anti-Cannabinoid Receptor 1 Antibody

Size: 100µg specific antibody in 200µl



### **Target Protein**

Principal Names: cannabinoid receptor 1 (brain), CNR1, HGNC:2159, CANN6, CB-R, CB1, CB1A, CB1K5, CNR, central cannabinoid receptor, RP1-23D17.1, CB1R, OTTHUMP00000016838, OTTHUMP00000016839, cannabinoid receptor 1 Official Symbol: CNR1 Accession Number(s): NP\_057167.2; NP\_001153732.1; NP\_001153731.1; NP\_001153730.1; NP\_001153698.1; NP\_149421.1 Human GeneID(s): 1268 Non-Human GeneID(s): 12801 (mouse), 25248 (rat) Important Comments: This antibody is expected to recognise both reported isoforms. Isoform a (NP\_057167.2; NP\_001153732.1; NP\_001153731.1; NP\_001153730.1;

NP\_001153698.1) and isoform b (NP\_149421.1).

### Immunogen

Peptide with sequence C-HTSEDGKVQVTRPDQ, from the internal region of the protein sequence according to NP\_057167.2; NP\_001153732.1; NP\_001153731.1; NP\_001153730.1; NP\_001153698.1; NP\_149421.1.

Please note the peptide is available for sale.

### **Purification and Storage**

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

## **Applications Tested**

Peptide ELISA: antibody detection limit dilution 1:32000.

Western blot: Approx 55kDa (non-glycosylated) and 65kDa (glycosylated) bands observed in lysates of cell line HeLa (calculated MW of 52.9kDa according to NP\_057167.2;). Both bands were successfully blocked by incubation with the immunizing peptide, Recommended concentration: 0.5-2µg/ml. Primary incubation 1 hour at room temperature.

This antibody has been successfully used in Western blot on Human: Fügedi G et al. (2014) PMID: 25444073.

## **Species Reactivity**


Tested: Human Expected from sequence similarity: Human, Mouse, Rat, Dog

### Specific Reference

This antibody has been successfully used in Western blot on Human: Fügedi G, Molnár M, Rigó J Jr, Schönléber J, Kovalszky I, Molvarec A. Increased placental expression of cannabinoid receptor 1 in preeclampsia: an observational study.

BMC Pregnancy Childbirth. 2014 Dec 2;14:395

PMID: 25444073



EB06945 (1µg/ml) staining of HeLa lysate non-glycosylated (A) + peptide (B) and (0.5ug/ml) HeLa lysate glycosylated (C) + peptide (D),(35µg protein in RIPA buffer). Detected by chemiluminescence.