



## UK Office

### Everest Biotech Ltd

Cherwell Innovation Centre  
77 Heyford Park  
Upper Heyford  
Oxfordshire  
OX25 5HD  
UK

Enquiries:

[info@everestbiotech.com](mailto:info@everestbiotech.com)

Sales:

[sales@everestbiotech.com](mailto:sales@everestbiotech.com)

Tech support:

[support@everestbiotech.com](mailto:support@everestbiotech.com)

Tel: +44 (0)1869 238326

[www.everestbiotech.com](http://www.everestbiotech.com)

**Research Use Only. Not for  
diagnostic or therapeutic use.**

## EB05143 - Goat Anti-CAPZB Antibody

Size: 100µg specific antibody in 200µl



### Target Protein

**Principal Names:** CAPZB, capping protein (actin filament) muscle Z-line, beta, CAPB, CAPZ, CAPPB, Cap Z, RP4-657E11.7, MGC104401, MGC129749, MGC129750, Cap Z, F-actin capping protein beta subunit

**Official Symbol:** CAPZB

**Accession Number(s):** NP\_004921.1

**Human GeneID(s):** [832](#)

**Non-Human GeneID(s):** 12345 (mouse)

**Important Comments:** This antibody is expected to be specific for the beta2 isoform of capping protein, found in non-muscle cells and should not recognise the beta1 form.

### Immunogen

Peptide with sequence NDLVEALKRKQQC, from the C Terminus of the protein sequence according to NP\_004921.1.

Please note the [peptide](#) is available for sale.

### Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

### Applications Tested

**Peptide ELISA:** antibody detection limit dilution 1:32000.

**Western blot:** Approx 30kDa band observed in lysates of cell lines Jurkat, HeLa and NIH-3T3 and approx 28kDa band observed in Mouse, Rat and Pig Heart lysates (calculated MW of 30.6kDa according to Human NP\_004921.1 and 31.3kDa according to Mouse NP\_001032850.1, and 30.6kDa according to Rat NP\_001005903.1 and Pig NP\_001106915.1]. Recommended concentration: 0.1-0.3µg/ml. Primary incubation was 1 hour. This product has been successfully used in WB on Rat: Wang CY et al, J Biomed Sci. 2011 Feb 7;18:13. PMID: 21299884.

### Species Reactivity

**Tested:** Human, Mouse, Rat, Pig

**Expected from sequence similarity:** Human, Mouse, Rat, Dog, Pig, Cow

### Specific Reference


**This antibody has been successfully used in Western blot on Rat:**

Wang CY, Chen JK, Wu YT, Tsai MJ, Shyue SK, Yang CS, Tzeng SF.


Reduction in antioxidant enzyme expression and sustained inflammation enhance tissue damage in the subacute phase of spinal cord contusive injury.

J Biomed Sci. 2011 Feb 7;18:13.

PMID: 21299884



EB05143 (0.01 $\mu$ g/ml) staining of Jurkat (A), HeLa (B) and NIH-3T3 (C) lysates (35 $\mu$ g protein in RIPA buffer).  
Detected by chemiluminescence



EB05143 (0.1 $\mu$ g/ml) staining of Mouse (A), Rat (B) and Pig (C) Heart lysates (35 $\mu$ g protein in RIPA buffer).  
Detected by chemiluminescence.