

#### **International Office**

#### **Everest Biotech Ltd**

Vector Laboratories, Inc. 6737 Mowry Ave Newark, CA 94560 United States

**Customer Service:** 

customerservice@vectorlabs.com

Technical Service:

technical@vectorlabs.com

Tel: +1 (800) 227-6666

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

# EB05207 - Goat Anti-CHN2 Antibody

Size: 100µg specific antibody in 200µl



### **Target Protein**

Principal Names: CHN2, chimerin (chimaerin) 2, ARHGAP3, RHOGAP3, RhoGAP3, beta

chimerin, Chimerin 2 (GTPase-activating protein, rho, 3), BCH, MGC138360,

rho-GTPase-activating protein 3

Official Symbol: CHN2

Accession Number(s): NP\_001035025.1; NP\_004058.1

Human GeneID(s): 1124

Important Comments: This antibody is expected to recognize both reported isoforms

(NP\_004058.1; NP\_001035025.1).

### Immunogen

Peptide with sequence C-QILIENEDVLF, from the C Terminus of the protein sequence according to NP\_001035025.1; NP\_004058.1.

Please note the peptide is available for sale.

### **Purification and Storage**

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin

Aliquot and store at -20°C. Minimize freezing and thawing.

### **Applications Tested**

Peptide ELISA: antibody detection limit dilution 1:8000.

**Western blot:** Preliminary experiments in Human Brain (Cerebellum and Frontal Cortex) lysates gave no specific signal but low background (at antibody concentration up to 1µg/ml). We would appreciate any feedback from people in the field - have any results been reported with other antibodies/lysates?


**IHC:** In paraffin embedded Human Cortex shows staining of neuronal bodies.

Recommended concentration, 3-6µg/ml.

## **Species Reactivity**

Tested: Human

Expected from sequence similarity: Human, Mouse, Dog, Cow



EB05207 (3.8 $\mu$ g/ml) staining of paraffin embedded Human Cortex. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.