

International Office

Everest Biotech Ltd

Vector Laboratories, Inc. 6737 Mowry Ave Newark, CA 94560 United States

Customer Service:

customerservice@vectorlabs.com

Technical Service:

technical@vectorlabs.com

Tel: +1 (800) 227-6666

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

EB09984 - Goat Anti-CLCN2 Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: chloride channel 2, CIC-2, CLC2, ECA2, ECA3, EGI11, EGI3, EGMA,

EJM6, EJM8, Epilepsy, idiopathic generalized, susceptibility to, CLCN2

Official Symbol: CLCN2

Accession Number(s): NP_004357.3

Human GeneID(s): 1181

Non-Human GenelD(s): 12724 (mouse), 29232 (rat)

Important Comments: This antibody is expected to recognize all reported isoforms

(NP_004357.3; NP_001164558.1; NP_001164559.1; NP_001164560.1).

Immunogen

Peptide with sequence SEKLESCEKRKLKR, from the internal region of the protein sequence according to NP_004357.3.

Please note the peptide is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested


Peptide ELISA: antibody detection limit dilution 1:64000.

IHC: Paraffin embedded Human Uterus and Brain (Cortex). Recommended concentration: 3-8µg/ml.

Species Reactivity

Tested: Human


Expected from sequence similarity: Human, Mouse, Rat



EB09984 (3.75 μ g/ml) staining of paraffin embedded Human Uterus. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.



EB09984 (8µg/ml) staining of paraffin embedded Human Cortex. Heat induced antigen retrieval with citrate buffer pH 6, HRP-staining.



EB09984 Negative Control showing staining of paraffin embedded Human Cortex, with no primary antibody.