

#### **International Office**

#### **Everest Biotech Ltd**

Vector Laboratories, Inc. 6737 Mowry Ave Newark, CA 94560 United States

**Customer Service:** 

customerservice@vectorlabs.com

Technical Service:

technical@vectorlabs.com

Tel: +1 (800) 227-6666

#### www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

# EB06391 - Goat Anti-CPEB1 Antibody

Size: 100µg specific antibody in 200µl



### **Target Protein**

**Principal Names:** CPEB1, CPEB, FLJ13203, cytoplasmic polyadenylation element binding protein 1, CEBP, CPE-BP1, MGC34136, MGC60106, CPE-binding protein 1

Official Symbol: CPEB1

Accession Number(s): NP\_085097.3; NP\_001073001.1; NP\_001073002.1;

NP\_001073003.1

Human GeneID(s): 64506

**Important Comments:** This antibody is expected to recognise alle reported isoforms.

Variants (NP\_001073002.1; NP\_001073003.1) encode the same isoform.

## Immunogen

Peptide with sequence C-PLMRNQKNRDSS, from the C Terminus of the protein sequence according to NP\_085097.3; NP\_001073001.1; NP\_001073002.1; NP\_001073003.1.

Please note the peptide is available for sale.

## **Purification and Storage**

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

### **Applications Tested**

Peptide ELISA: antibody detection limit dilution 1:128000.

**Western blot:** Approx 65-70kDa band observed in Human Brain lysates (predicted MW of 65kDa according to NP\_085097). Recommended for use at 0.5-2µg/ml. Please note this band was always accompanied by a slightly stonger band at approx 48kDa and further both bands could be blocked by incubation with the immunising peptide.

### **Species Reactivity**

Tested: Human

Expected from sequence similarity: Human



EB06391 staining (0.5µg/ml) of human brain lysate (RIPA buffer, 35µg total protein per lane). Primary incubated for 1 hour. Detected by chemiluminescence.