

#### **International Office**

#### **Everest Biotech Ltd**

Vector Laboratories, Inc. 6737 Mowry Ave Newark, CA 94560 United States

**Customer Service:** 

customerservice@vectorlabs.com

Technical Service:

technical@vectorlabs.com

Tel: +1 (800) 227-6666

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

# EB10706 - Goat Anti-CRTC2 / TORC2 (aa 83-96) Antibody

Size: 100µg specific antibody in 200µl



## **Target Protein**

**Principal Names:** CRTC2, CREB regulated transcription coactivator 2, RP11-422P24.6, TORC2, CREB-regulated transcription coactivator 2, OTTHUMP0000035255, TORC-2, transducer of CREB protein 2, transducer of regulated cAMP response element-binding protein (CREB) 2

Official Symbol: CRTC2

Accession Number(s): NP\_859066.1

Human GenelD(s): 200186

Non-Human GeneID(s): 74343 (mouse), 310615 (rat)

### **Immunogen**

Peptide with sequence C-EFQSPLHSPLDSSR, from the internal region of the protein sequence according to NP\_859066.1.

Please note the peptide is available for sale.

## **Purification and Storage**

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

#### **Applications Tested**

Peptide ELISA: antibody detection limit dilution 1:32000.

**Western blot:** Approx 85kDa band observed in lysates of cell line Jurkat (calculated MW of 73.3kDa according to NP\_859066.1). Recommended concentration: 0.3-1µg/ml.


Primary incubation was 1 hour.

IHC: Paraffin embedded Human Thymus. Recommended concentration: 3.75µg/ml.


#### **Species Reactivity**

Tested: Human

Expected from sequence similarity: Human, Mouse, Rat, Dog, Pig, Cow



 $EB10706\ (0.3\mu\text{g/ml})\ staining\ of\ Jurkat\ lysate\ (35\mu\text{g}\ protein\ in\ RIPA\ buffer).\ Detected\ by\ chemiluminescence.$ 



EB10706 (3.75µg/ml) staining of paraffin embedded Human Thymus. Steamed antigen retrieval with citrate buffer Ph 6, AP-staining.