



## International Office

### Everest Biotech Ltd

Vector Laboratories, Inc.  
6737 Mowry Ave  
Newark, CA 94560  
United States

Customer Service:

[customerservice@vectorlabs.com](mailto:customerservice@vectorlabs.com)

Technical Service:

[technical@vectorlabs.com](mailto:technical@vectorlabs.com)

Tel: +1 (800) 227-6666

[www.everestbiotech.com](http://www.everestbiotech.com)

**Research Use Only. Not for  
diagnostic or therapeutic use.**

## EB05118-B - Goat Anti-CSK, Biotinylated Antibody

Size: 100µg specific antibody in 200µl



### Target Protein

**Principal Names:** CSK, c-src tyrosine kinase, C-Src kinase, protein-tyrosine kinase CYL

**Official Symbol:** CSK

**Accession Number(s):** NP\_004374.1

**Human GeneID(s):** [1445](#)

**Non-Human GeneID(s):** 12988 (mouse), 315707 (rat)

**Important Comments:** Reported variants represent identical protein: NP\_004374.1, NP\_001120662.1

### Immunogen

Peptide with sequence CEQLEHIKTHELHL., from the C Terminus of the protein sequence according to NP\_004374.1.

Please note the [peptide](#) is available for sale.

### Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

### Applications Tested

**Peptide ELISA:** antibody detection limit dilution 1:128000.

**Western blot:** Approx 50kDa band observed in lysates of cell line Jurkat (calculated MW of 50.7kDa according to NP\_004374.1). See non-biotinylated parental product's datasheet for further QC data. Recommended concentration: 0.5-1µg/ml.

### Species Reactivity

**Tested:** Human, Mouse, Rat

**Expected from sequence similarity:** Human, Mouse, Rat, Dog, Cow



Biotinylated EB05118 (0.5µg/ml) staining of Jurkat lysate (35µg protein in RIPA buffer), exactly mirroring its parental non-biotinylated product. Primary incubation was 1 hour. Detected by chemiluminescence, using streptavidin-HRP and using NAP blocker as a substitute for skimmed milk.