

#### **International Office**

#### **Everest Biotech Ltd**

Vector Laboratories, Inc. 6737 Mowry Ave Newark, CA 94560 United States

**Customer Service:** 

customerservice@vectorlabs.com

Technical Service:

technical@vectorlabs.com

Tel: +1 (800) 227-6666

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

# EB09211 - Goat Anti-CXXC4 Antibody

Size: 100µg specific antibody in 200µl



### **Target Protein**

**Principal Names:** CXXC4, CXXC finger 4, IDAX, MGC149872, Dvl-binding protein IDAX (inhibition of the Dvl and Axin complex), inhibition of the Dvl and Axin complex

Official Symbol: CXXC4

Accession Number(s): NP\_079488.1

Human GeneID(s): 80319

Non-Human GeneID(s): 319478 (mouse)

### **Immunogen**

Peptide with sequence C-GTSLERTPVPSAEA, from the C-Terminus (near) of the protein sequence according to NP\_079488.1.

Please note the peptide is available for sale.

## **Purification and Storage**

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

## **Applications Tested**

Peptide ELISA: antibody detection limit dilution 1:32000.


**Western blot:** Preliminary experiments in Human Brain (Cerebellum, Hippocampus) lysates gave no specific signal but low background (at antibody concentration up to 1µg/ml). We would appreciate any feedback from people in the field - have any results been reported with other antibodies/lysates?

IHC: In paraffin embedded Human Breast shows cystoplasm staining in myoepithelial cells. Recommended concentration, 3-5µg/ml.

#### **Species Reactivity**

Tested: Human

Expected from sequence similarity: Human, Mouse



EB09211 (3.8 $\mu$ g/ml) staining of paraffin embedded Human Breast. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.