



International Office

Everest Biotech Ltd

Vector Laboratories, Inc.
6737 Mowry Ave
Newark, CA 94560
United States

Customer Service:

customerservice@vectorlabs.com

Technical Service:

technical@vectorlabs.com

Tel: +1 (800) 227-6666

www.everestbiotech.com

**Research Use Only. Not for
diagnostic or therapeutic use.**

EB06401 - Goat Anti-CYLD (C terminus) Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: CYLD, EAC, CDMT, CYLD1, CYLDI, FLJ31664, FLJ78684, HSPC057, KIAA0849, USPL2, deubiquitinating enzyme CYLD, ubiquitin carboxyl-terminal hydrolase CYLD, ubiquitin specific peptidase like 2, ubiquitin thiolesterase CYLD, ubiquitin-specific-processing protease CYLD, cylindromatosis (turban tumor syndrome), MFT, MFT1, SBS, TEM

Official Symbol: CYLD

Accession Number(s): NP_056062.1; NP_001035814.1; NP_001035877.1

Human GeneID(s): [1540](#)

Important Comments: This antibody is expected to recognize both reported isoforms (NP_056062.1 and NP_001035814.1; NP_001035877.1).

Immunogen

Peptide with sequence CMYQSPTMSLYK, from the C Terminus of the protein sequence according to NP_056062.1; NP_001035814.1; NP_001035877.1.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:16000.

Western blot: Preliminary experiments gave no signal but low background in human kidney and Hela lysates at up to 1µg/ml. We would appreciate any feedback from people in the field - have any results been reported with other antibodies/lysates?

Species Reactivity

Tested:

Expected from sequence similarity: Human, Mouse, Rat, Dog, Cow

Background Reference

Regamey A, Hohl D, Liu JW, Roger T, Kogerman P, Toftgard R, Huber M.

The tumor suppressor CYLD interacts with TRIP and regulates negatively nuclear factor kappaB activation by tumor necrosis factor.

J Exp Med. 2003 Dec 15;198(12):1959-64.

PMID: 14676304