

## UK Office

### Everest Biotech Ltd

Cherwell Innovation Centre  
77 Heyford Park  
Upper Heyford  
Oxfordshire  
OX25 5HD  
UK

Enquiries:

[info@everestbiotech.com](mailto:info@everestbiotech.com)

Sales:

[sales@everestbiotech.com](mailto:sales@everestbiotech.com)

Tech support:

[support@everestbiotech.com](mailto:support@everestbiotech.com)

Tel: +44 (0)1869 238326

[www.everestbiotech.com](http://www.everestbiotech.com)

**Research Use Only. Not for  
diagnostic or therapeutic use.**

## EB06161 - Goat Anti-CYP7B1 Antibody

Size: 100µg specific antibody in 200µl



### Target Protein

**Principal Names:** CYP7B1, CP7B, cytochrome P450, family 7, subfamily B, polypeptide 1, oxysterol 7alpha-hydroxylase, cytochrome P450, subfamily VIIB (oxysterol 7 alpha-hydroxylase), polypeptide 1, CBAS3, SPG5A

**Official Symbol:** CYP7B1

**Accession Number(s):** NP\_004811.1

**Human GeneID(s):** [9420](#)

### Immunogen

Peptide with sequence C-YPDSDVLFYRYKVKKS, from the C Terminus of the protein sequence according to NP\_004811.1.

Please note the [peptide](#) is available for sale.

### Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

### Applications Tested

**Peptide ELISA:** antibody detection limit dilution 1:128000.


**Western blot:** Preliminary experiments in Human Liver, Kidney and Prostate lysates gave no specific signal but low background (at antibody concentration up to 1µg/ml). We would appreciate any feedback from people in the field - have any results been reported with other antibodies/lysates?

**IHC:** In paraffin embedded Human Breast shows textured cytoplasm staining in ductal epithelial cells. Recommended concentration, 3-6µg/ml.

### Species Reactivity

**Tested:**

**Expected from sequence similarity:** Human, Cow



EB06161 (4µg/ml) staining of paraffin embedded Human Breast. Steamed antigen retrieval with citrate buffer pH 6, HRP-staining.