

International Office

Everest Biotech Ltd

Vector Laboratories, Inc. 6737 Mowry Ave Newark, CA 94560 United States

Customer Service:

customerservice@vectorlabs.com

Technical Service:

technical@vectorlabs.com

Tel: +1 (800) 227-6666

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

EB05428 - Goat Anti-Cystatin 3 (mouse) Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: Cst3, cystatin 3, gamma-trace, CST3, AD8, cystatin C (amyloid angiopathy and cerebral hemorrhage), post-gamma-globulin, neuroendocrine basic

polypeptide, RP23-250M11.9, CysC, OTTMUSP00000016736

Official Symbol: Cst3

Accession Number(s): NP_034106.2 Non-Human GenelD(s): 13010 (mouse)

Immunogen

Peptide with sequence GTHSLTKFSCKNA, from the C Terminus of the protein sequence according to NP_034106.2.

Please note the peptide is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:8000.

Western blot: Approx 18kDa band observed in Mouse Testis lysates (calculated MW of 15.5kDa according to NP_034106.2). Recommended concentration: 0.01-0.03µg/ml.

Species Reactivity

Tested: Mouse

Expected from sequence similarity: Mouse

250kDa 150kDa 100kDa 75kDa 50kDa 37kDa 25kDa 20kDa

EB05428 (0.01μg/ml) staining of Mouse Testis lysate (35μg protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.