

## International Office

### Everest Biotech Ltd

Vector Laboratories, Inc.  
6737 Mowry Ave  
Newark, CA 94560  
United States

Customer Service:

[customerservice@vectorlabs.com](mailto:customerservice@vectorlabs.com)

Technical Service:

[technical@vectorlabs.com](mailto:technical@vectorlabs.com)

Tel: +1 (800) 227-6666

[www.everestbiotech.com](http://www.everestbiotech.com)

**Research Use Only. Not for  
diagnostic or therapeutic use.**

## EB11483 - Goat Anti-DYRK1A Antibody

Size: 100µg specific antibody in 200µl



### Target Protein

**Principal Names:** dual specificity tyrosine-phosphorylation-regulated kinase 1A, dual specificity YAK1-related kinase, dual-specificity tyrosine-(Y)-phosphorylation regulated kinase 1A, DYRK, DYRK1, DYRK1A, hMNB, HP86, MNB, mnk protein kinase homolog hp86, MNB/DYRK protein kinase, MNBH, MRD7, OTTHUMP00000109090, OTTHUMP00000109091, OTTHUMP00000109094, OTTHUMP00000174799, protein kinase minibrain homolog, serine/threonine kinase MNB, serine/threonine-specific protein kinase

**Official Symbol:** DYRK1A

**Accession Number(s):** NP\_001387.2; NP\_569120.1; NP\_567824.1; NP\_569122.1

**Human GeneID(s):** [1859](#)

**Non-Human GeneID(s):** 13548 (mouse), 25255 (rat)

**Important Comments:** This antibody is expected to recognize all reported isoforms (NP\_001387.2; NP\_569120.1; NP\_567824.1; NP\_569122.1). This antibody is not expected to cross-react with DYRK1B.

### Immunogen

Peptide with sequence PHSQYSDRRQPN-C, from the N Terminus of the protein sequence according to NP\_001387.2; NP\_569120.1; NP\_567824.1; NP\_569122.1.

Please note the [peptide](#) is available for sale.

### Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

### Applications Tested

**Peptide ELISA:** antibody detection limit dilution 1:64000.

**Western blot:** Approx 80kDa band observed in lysates of cell line K562 (calculated MW of 85.6kDa according to NP\_001387.2). Recommended concentration: 0.5-2µg/ml. Primary incubation was 1 hour.

**Immunoprecipitation:** This product has been successfully used in IP on Human: Widowati et al, BMC Res Notes. 2018 May 15;11(1):297. PMID: 29764512.

### Species Reactivity

**Tested:** Human

**Expected from sequence similarity:** Human, Mouse, Rat, Dog, Pig, Cow

### Specific Reference


**This antibody has been successfully used in IP on Human:**

Esti Wahyu Widowati, Simone Bamberg-Lemper and Walter Becky

Mutational analysis of two residues in the DYRK homology box of the protein kinase DYRK1A

BMC Res Notes. 2018 May 15;11(1):297.

PMID: 29764512



EB11483 (0.5µg/ml) staining of K562 lysate (35µg protein in RIPA buffer). Detected by chemiluminescence.