

#### **International Office**

#### **Everest Biotech Ltd**

Vector Laboratories, Inc. 6737 Mowry Ave Newark, CA 94560 United States

**Customer Service:** 

customerservice@vectorlabs.com

Technical Service:

technical@vectorlabs.com

Tel: +1 (800) 227-6666

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

# EB06081 - Goat Anti-EPS8 Antibody

Size: 100µg specific antibody in 200µl



## **Target Protein**

Principal Names: EPS8, epidermal growth factor receptor pathway substrate 8

Official Symbol: EPS8

Accession Number(s): NP\_004438.3

Human GeneID(s): 2059

Non-Human GeneID(s): 13860 (mouse)

### **Immunogen**

Peptide with sequence C-SGVESFDEGSSH, from the C Terminus of the protein sequence according to NP\_004438.3.

Please note the peptide is available for sale.

# **Purification and Storage**

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

## **Applications Tested**

Peptide ELISA: antibody detection limit dilution 1:8000.


**Western blot:** Approx. 100kDa band observed in lysates of cell line NIH3T3 (calculated MW of 91.9kDa according to NP\_004438.3). Recommended concentration: 1-3µg/ml. An additional band of unknown identity was also consistently observed at 70kDa. This band was successfully blocked by incubation with the immunizing peptide. Primary incubation was 1 hour.

IHC: Paraffin embedded Human Kidney and Pancreas. Recommended concentration: 6-8µg/ml.


#### **Species Reactivity**

Tested: Human, Mouse


Expected from sequence similarity: Human, Mouse, Rat, Dog, Pig




EB06081 (1 $\mu$ g/ml) staining of lysates of cell line NIH3T3 (35 $\mu$ g protein in RIPA buffer). Detected by chemiluminescence.




EB06081 (6µg/ml) staining of paraffin embedded Human Kidney. Heat induced antigen retrieval with citrate buffer pH 6, HRP-staining.



EB06081 Negative Control showing staining of paraffin embedded Human Kidney, with no primary antibody.



EB06081 (8µg/ml) staining of paraffin embedded Human Pancreas. Heat induced antigen retrieval with citrate buffer pH 6, HRP-staining.



EB06081 Negative Control showing staining of paraffin embedded Human Pancreas, with no primary antibody.