



## International Office

### Everest Biotech Ltd

Vector Laboratories, Inc.  
6737 Mowry Ave  
Newark, CA 94560  
United States

Customer Service:

[customerservice@vectorlabs.com](mailto:customerservice@vectorlabs.com)

Technical Service:

[technical@vectorlabs.com](mailto:technical@vectorlabs.com)

Tel: +1 (800) 227-6666

[www.everestbiotech.com](http://www.everestbiotech.com)

**Research Use Only. Not for  
diagnostic or therapeutic use.**

## EB06987 - Goat Anti-FACT / SUPT16H Antibody

Size: 100µg specific antibody in 200µl



### Target Protein

**Principal Names:** SUPT16H, FACT, suppressor of Ty 16 homolog (*S. cerevisiae*), HGNC:11465, CDC68, FACTP140, FLJ10857, FLJ14010, SPT16/CDC68, chromatin-specific transcription elongation factor large subunit, FLJ34357, facilitates chromatin remodeling 140 kDa subunit

**Official Symbol:** SUPT16H

**Accession Number(s):** NP\_009123.1

**Human GeneID(s):** [11198](#)

### Immunogen

Peptide with sequence C-DLTNKEGKKPEEK, from the internal region of the protein sequence according to NP\_009123.1.

Please note the [peptide](#) is available for sale.

### Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

### Applications Tested


**Peptide ELISA:** antibody detection limit dilution 1:8000.

**Western blot:** Approx 150kDa band observed in lysates of cell line HeLa (calculated MW of 120kDa according to NP\_009123.1). Recommended concentration: 0.1-0.3µg/ml. An additional band of unknown identity was also consistently observed at 30kDa. This band was successfully blocked by incubation with the immunising peptide. Primary incubation was 1 hour.

### Species Reactivity

**Tested:** Human

**Expected from sequence similarity:** Human, Mouse, Pig, Cow



EB06987 (0.1µg/ml) staining of HeLa cell lysate (35µg protein in RIPA buffer). Detected by chemiluminescence.