

#### **UK Office**

### **Everest Biotech Ltd**

**Cherwell Innovation Centre** 

77 Heyford Park Upper Heyford Oxfordshire OX25 5HD UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326 Fax: +44 (0)1869 238327

#### **US Office**

#### **Everest Biotech c/o Abcore**

405 Maple Street, Suite A106 Ramona,

CA 92065 USA

Inquiries:

info@everestbiotech.com

Sales:

 $\underline{usasales@everest biotech.com}$ 

Tech support:

support@everestbiotech.com

Tel: 888-320-4628 (toll-free) Fax: 888-841-9041

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

# EB09088 - Goat Anti-FBXO32 Antibody

Size: 100µg specific antibody in 200µl



## **Target Protein**

Principal Names: FBXO32, F-box protein 32, FLJ32424, Fbx32, MAFbx, MGC33610,

F-box only protein 32, atrogin 1, muscle atrophy F-box protein

Official Symbol: FBXO32

Accession Number(s): NP\_478136.1

Human GeneID(s): 114907

Non-Human GeneID(s): 67731 (mouse), 171043 (rat)

Important Comments: This antibody is expected to recognize reported isoform 1

(NP\_478136.1).

## Immunogen

Peptide with sequence C-NSKTKTQYFHQEK, from the internal region of the protein sequence according to NP\_478136.1.

Please note the peptide is available for sale.

## **Purification and Storage**

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin

Aliquot and store at -20°C. Minimize freezing and thawing.

## **Applications Tested**

Peptide ELISA: antibody detection limit dilution 1:16000.

**Western blot:** Approx. 40kDa band observed in Mouse Skeletal Muscle Iysates (calculated MW of 41.5kDa according to Mouse NP\_080622.1). Recommended concentration: 0.3-1μg/ml. Primary incubation 1 hour at room temperature. Preliminary testing was unsuccessful on Rat and Pig Skeletal Muscle, and Pig Heart for this particular batch. This antibody has been successfully use in WB on Mouse: (2021) 10.21203/rs.3.rs-541040/v1.

# **Species Reactivity**

Tested: Mouse

Expected from sequence similarity: Human, Mouse, Rat, Cow, Pig

### **Specific References**

# This antibody has been successfully used in Western blot on Mouse:

Changpeng Wu et al.

L-Carnitine Ameliorates the Muscle Wasting of Cancer Cachexia through the AKT/FOXO3a/MaFbx Axis

(2021) 10.21203/rs.3.rs-541040/v1

PMID: 34724970

# This antibody (previous batch) has been successfully used in Western blot on Mouse:

Penet MF, Gadiya MM, Krishnamachary B, Nimmagadda S, Pomper MG, Artemov D, Bhujwalla ZM.

Metabolic signatures imaged in cancer-induced cachexia.

Cancer Res. 2011 Nov 15;71(22):6948-56

PMID: 21948967

250kDa 150kDa 100kDa 75kDa 50kDa 37kDa 25kDa 20kDa

EB09088 (0.3 $\mu$ g/ml) staining of Mouse Skeletal Muscle lysate (35 $\mu$ g protein in RIPA buffer). Detected by chemiluminescence.