

International Office

Everest Biotech Ltd

Vector Laboratories, Inc. 6737 Mowry Ave Newark, CA 94560 United States

Customer Service:

customerservice@vectorlabs.com

Technical Service:

technical@vectorlabs.com

Tel: +1 (800) 227-6666

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

EB11834 - Goat Anti-Fgf14 (mouse N terminus) Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: Fgf14, FGF-14, Fhf4, FHF-4, fibroblast growth factor 14, fibroblast

growth factor homologous factor 4, mFHF-4(1B)

Official Symbol: Fgf14

Accession Number(s): NP_034331.2; NP_997550.1

Human GeneID(s): 2259

Non-Human GenelD(s): 14169 (mouse), 63851 (rat)

Important Comments: This antibody is expected to recognize mouse isoform a

(NP_034331.2) and human isoform 1A (NP_004106.1).

Immunogen

Peptide with sequence REQHWDRPSASR-C, from the N Terminus of the protein sequence according to NP_034331.2; NP_997550.1.

Please note the peptide is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested


Peptide ELISA: antibody detection limit dilution 1:128000.

Western blot: Approx 28kDa band observed in Mouse and Human Brain lysates (calculated MW of 28.3kDa according to NP_997550.1 and 27.7kDa according to NP_034331.2). Recommended concentration: 1-3μg/ml. Primary incubation was 1 hour. IHC: Cryosection of immersion-fixed (1% PFA/0.5% methanol) Human Hypothalamus. Optimal dilution: 1:5000. *Vibratome prepared sample for optimal labelling.


Species Reactivity

Tested: Human, Mouse

Expected from sequence similarity: Human, Mouse, Rat, Dog, Pig, Cow



 $EB11834\ (1\mu g/ml)\ staining\ of\ Mouse\ Brain\ lysate\ (35\mu g\ protein\ in\ RIPA\ buffer).\ Detected\ by\ chemiluminescence.$



EB11834 (1:5000) immunostaining of FGF14-positive axon initial segments in cryosection of an immersion-fixed (1% PFA/0.5% methanol) human hypothalamus*. Antigen retrieval with citrate buffer pH 6 at 80C for 30min. HRP-staining with Ni-DAB, after Biotin-SP-anti-goat (IgG) method. Data obtained by Drs. Éva Rumpler and Erik Hrabovszky, Inst, Exp, Med, Budapest, Hungary.