

#### **UK Office**

#### **Everest Biotech Ltd**

Cherwell Innovation Centre 77 Heyford Park Upper Heyford Oxfordshire OX25 5HD

UK

**Enquiries:** 

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

# EB07834 - Goat Anti-Glucogon receptor Antibody

Size: 100µg specific antibody in 200µl



## **Target Protein**

Principal Names: GCGR, glucagon receptor, GGR, MGC138246

Official Symbol: GCGR

Accession Number(s): NP\_000151.1

Human GeneID(s): 2642

### **Immunogen**

Peptide with sequence C-HGPPSKELQFGR, from the internal region (near the C Terminus) of the protein sequence according to NP\_000151.1.

Please note the peptide is available for sale.

## **Purification and Storage**

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

#### **Applications Tested**

Peptide ELISA: antibody detection limit dilution 1:32000.


**Immunofluorescence:** A customer reported staining in the endoplasmic reticulum, cytoplasm and nucleus of U2OS cells at a oncentration of 10ug/ml.

**Flow Cytometry:** Flow cytometric analysis of HeLa cells. Recommended concentration: 10ug/ml.

# **Species Reactivity**

Tested: Human

Expected from sequence similarity: Human



EB07834 Flow cytometric analysis of paraformaldehyde fixed HeLa cells (blue line), permeabilized with 0.5% Triton. Primary incubation 1hr (10ug/ml) followed by Alexa Fluor 488 secondary antibody (1ug/ml). IgG control:

Unimmunized goat IgG (black line) followed by Alexa Fluor 488 secondary antibody.