



UK Office

Everest Biotech Ltd

Cherwell Innovation Centre
77 Heyford Park
Upper Heyford
Oxfordshire
OX25 5HD
UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

Fax: +44 (0)1869 238327

US Office

Everest Biotech c/o Abcore

405 Maple Street, Suite A106
Ramona,
CA 92065
USA

Inquiries:

info@everestbiotech.com

Sales:

usasales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: 888-320-4628 (toll-free)

Fax: 888-841-9041

www.everestbiotech.com

**Research Use Only. Not for
diagnostic or therapeutic use.**

EB10581 - Goat Anti-GP91-PHOX / NOX2 Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: CYBB, cytochrome b-245, beta polypeptide, CGD, GP91-1, GP91-PHOX, GP91PHOX, NOX2, p91-PHOX, CGD91-phox, cytochrome b(558) subunit beta, cytochrome b-245 heavy chain, cytochrome b558 subunit beta, heme-binding membrane glycoprotein gp91pho

Official Symbol: CYBB

Accession Number(s): NP_000388.2

Human GeneID(s): [1536](#)

Non-Human GeneID(s): 13058 (mouse), 66021 (rat)

Immunogen

Peptide with sequence CDKQEFQDAWKLPK, from the internal region of the protein sequence according to NP_000388.2.

Please note the [peptide](#) is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:8000.

Western blot: Approx 75kDa band observed in lysates of cell line Daudi and in Mouse Spleen lysates (calculated MW of 65.3kDa according to Human NP_000388.2 and Mouse NP_031833.3). This band was successfully blocked by incubation with the mmunising peptide, and corresponds to the glycosylated form as described in the literature (V. Munnamalai et al, 2014: PMID: 24702317 and J. Van Buul er al, 2005: PMID: 15706079)
Recommended concentration: 1-3µg/ml. Primary incubation 1 hour at room temperature.

Species Reactivity

Tested: Human, Mouse

Expected from sequence similarity: Human, Mouse, Rat, Dog, Pig, Cow



EB10581 (1 μ g/ml) staining of Daudi cell lysate (A) + peptide (B) (35 μ g protein in RIPA buffer). Detected by chemiluminescence.



EB10581 (1 μ g/ml) staining of Mouse Spleen lysate (A) + peptide (B) (35 μ g protein in RIPA buffer). Detected by chemiluminescence.