

#### **International Office**

#### **Everest Biotech Ltd**

Vector Laboratories, Inc. 6737 Mowry Ave Newark, CA 94560 United States

**Customer Service:** 

customerservice@vectorlabs.com

Technical Service:

technical@vectorlabs.com

Tel: +1 (800) 227-6666

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

# EB07221 - Goat Anti-Hamartin / TSC1 (isoform 1) Antibody

Size: 100µg specific antibody in 200µl



# **Target Protein**

Principal Names: TSC1, hamartin, tuberous sclerosis 1, HGNC:12362, KIAA0243, LAM,

MGC86987, TSC, tuberous sclerosis 1 protein, tumor suppressor

Official Symbol: TSC1

Accession Number(s): NP\_000359.1

Human GeneID(s): 7248

Non-Human GenelD(s): 64930 (mouse)

Important Comments: This antibody is expected to recognise isoform 1 (NP\_000359.1)

only.

# Immunogen

Peptide with sequence C-QLHIMDYNETHHEH, from the C Terminus of the protein sequence according to NP\_000359.1.

Please note the peptide is available for sale.

# **Purification and Storage**

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

### **Applications Tested**

Peptide ELISA: antibody detection limit dilution 1:128000.

Western blot: Approx 150kDa band observed in Human Brain lysates (calculated MW of 130kDa according to NP\_000359.1). The observed molecular weight corresponds to earlier findings in literature with different antibodies (Miloloza et al Hum Mol Genet. 2000 Jul 22;9(12):1721-7; PMID: 10915759). Recommended concentration: 0.1-0.3μg/ml. Primary incubation was 1 hour.

**IHC:** Paraffin embedded Human Uterus and Liver. Recommended concentration: 3.75µg/ml.


## **Species Reactivity**

Tested: Human


Expected from sequence similarity: Human, Mouse, Rat, Dog

250kDa 150kDa 100kDa 75kDa 50kDa 37kDa 25kDa 20kDa 15kDa

EB07221 (0.1 $\mu$ g/ml) staining of Human Brain lysate (35 $\mu$ g protein in RIPA buffer). Detected by chemiluminescence.



EB07221 (3.75 $\mu$ g/ml) staining of paraffin embedded Human Uterus. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.



EB07221 (3.75 $\mu$ g/ml) staining of paraffin embedded Human Liver. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.