



## UK Office

### Everest Biotech Ltd

Cherwell Innovation Centre  
77 Heyford Park  
Upper Heyford  
Oxfordshire  
OX25 5HD  
UK

Enquiries:

[info@everestbiotech.com](mailto:info@everestbiotech.com)

Sales:

[sales@everestbiotech.com](mailto:sales@everestbiotech.com)

Tech support:

[support@everestbiotech.com](mailto:support@everestbiotech.com)

Tel: +44 (0)1869 238326

[www.everestbiotech.com](http://www.everestbiotech.com)

**Research Use Only. Not for  
diagnostic or therapeutic use.**

## EB2ND-50-3002 - Goat anti-human IgM antibody

Size: 500ug

### Immunogen

a 42-aa long peptide from the heavy chain of human Immunoglobulin M (unconjugated).

### Purification

Ammonium sulphate precipitation of serum followed by antigen affinity purification.

### Buffer

10 mMTris, PH 8.2, with 150 mMNaCl, 10 mg/ml BSA and 0.1% sodium azide

### Storage and Handling

Store at 4°C for short durations. Store at -20°C for longer periods (> 1 month). Minimize freeze thaw cycles.

### Applications

Protein ELISA: Human serum IgM detection at 1: 200 dilution.

Peptide ELISA: Antibody detection at 1:128000 dilution.

Immunofluorescence: Immunofluorescence tested on Daudi cells. Recommended dilution: 1:50 to 1:100.

Western blotting : Approx 75 kDaband observed human plasma and serum.

Recommended concentration: 0.1-1µg/ml.

Please optimize dilutions for your particular assay conditions. Starting test dilution:1:500 for indirect immunofluorescence.