

International Office

Everest Biotech Ltd

Vector Laboratories, Inc. 6737 Mowry Ave Newark, CA 94560 United States

Customer Service:

customerservice@vectorlabs.com

Technical Service:

technical@vectorlabs.com

Tel: +1 (800) 227-6666

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

EB05586 - Goat Anti-ICSBP1 / IRF8 Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: IRF8, ICSBP1, interferon consensus sequence binding protein 1,

IRF-8, H-ICSBP, interferon regulatory factor 8

Official Symbol: IRF8

Accession Number(s): NP_002154.1

Human GeneID(s): 3394

Non-Human GenelD(s): 15900 (mouse)

Immunogen

Peptide with sequence C-QRSFFRENQQITV, from the C Terminus of the protein sequence according to NP_002154.1.

Please note the peptide is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:8000.

Western blot: Approx 45-50kDa band seen in K562 lysate (Predicted MW of 47kDa

according to NP_002154.1). Recommended concentration: 0.5-2µg/ml.

IHC: Paraffin embedded Human Tonsil. Recommended concentration: 5µg/ml.


Species Reactivity

Tested: Human

Expected from sequence similarity: Human, Mouse, Rat, Cow



EB05586 staining (1μg/ml) of K562 lysate (RIPA buffer, 30μg total protein per lane). Primary incubated for 1 hour. Detected by western blot using chemiluminescence.



EB05586 (5μg/ml) staining of paraffin embedded Human Tonsil. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.