



International Office

Everest Biotech Ltd

Vector Laboratories, Inc.
6737 Mowry Ave
Newark, CA 94560
United States

Customer Service:

customerservice@vectorlabs.com

Technical Service:

technical@vectorlabs.com

Tel: +1 (800) 227-6666

www.everestbiotech.com

**Research Use Only. Not for
diagnostic or therapeutic use.**

EB08289 - Goat Anti-IGF2BP2 Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: IGF2BP2, insulin-like growth factor 2 mRNA binding protein 2, IMP-2, IMP2, VICKZ2, p62, IGF II mRNA binding protein 2, IGF-II mRNA-binding protein 2

Official Symbol: IGF2BP2

Accession Number(s): NP_006539.3; NP_001007226.1

Human GeneID(s): [10644](#)

Non-Human GeneID(s): 319765 (mouse)

Important Comments: This antibody is expected to recognise both reported isoforms (NP_006539.3 and NP_001007226.1).

Immunogen

Peptide with sequence C-KQREQKYPQGVASQR, from the C Terminus of the protein sequence according to NP_006539.3; NP_001007226.1.

Please note the [peptide](#) is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:16000.

Western blot: Approx. 60-70kDa band observed in lysates of cell line HepG2 (calculated MW of 66.1kDa according to NP_006539.3). Recommended concentration: 1-3µg/ml.

Species Reactivity

Tested: Human

Expected from sequence similarity: Human, Mouse, Dog



EB08289 (1µg/ml) staining of HepG2 cell lysate (35µg protein in RIPA buffer). Primary incubation was 1 hour.
Detected by chemiluminescence.