



UK Office

Everest Biotech Ltd

Cherwell Innovation Centre
77 Heyford Park
Upper Heyford
Oxfordshire
OX25 5HD
UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

www.everestbiotech.com

**Research Use Only. Not for
diagnostic or therapeutic use.**

EB07063 - Goat Anti-ITPR2 Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: ITPR2, inositol 1,4,5-triphosphate receptor, type 2, HGNC:6181, IP3R2

Official Symbol: ITPR2

Accession Number(s): NP_002214.2

Human GeneID(s): [3709](#)

Non-Human GeneID(s): 16439 (mouse), 81678 (rat)

Important Comments: No cross-reactivity expected with other types of ITPR.

Immunogen

Peptide with sequence C-PIEESNILSPVQD, from the internal region of the protein sequence according to NP_002214.2.

Please note the [peptide](#) is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:128000.


Western blot: Preliminary experiments gave an approx 28-30kDa band in Human Heart lysates after 0.1µg/ml antibody staining. Please note that currently we cannot find an explanation in the literature for the band we observe given the calculated size of 308kDa according to NP_002214.2. The 28-30kDa band was successfully blocked by incubation with the immunizing peptide.

IHC: Paraffin embedded Human Kidney, Skin and Heart. Recommended concentration: 3.75µg/ml.


Species Reactivity

Tested: Human


Expected from sequence similarity: Human, Mouse, Rat, Dog, Cow



EB07063 (3.75µg/ml) staining of paraffin embedded Human Kidney. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.



EB07063 (3.75µg/ml) staining of paraffin embedded Human Skin. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.



EB07063 (3.75µg/ml) staining of paraffin embedded Human Heart. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.